L Number	Hits	Search Text	DB	Time stamp
2	812418	switch.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:10
3	66770	switch.ab. and transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:10
4	33484	(switch.ab. and transistor) and second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:11
5	4787	((switch.ab. and transistor) and second) and (voltage adj divider)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:11
6	1535	(((switch.ab. and transistor) and second) and (voltage adj divider)) and external	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:11
7	1336	((((switch.ab. and transistor) and second) and (voltage adj divider)) and external) and (suppress or suppressing or diode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:12
8	683	(((((switch.ab. and transistor) and second) and (voltage adj divider)) and external) and (suppress or suppressing or diode)) and control.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:12
9	646	((((((switch.ab. and transistor) and second) and (voltage adj divider)) and external) and (suppress or suppressing or diode)) and control.ab.) not us.cc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:23
10	5	("3872470" | "4540975" | "4763109" | "5049853" | "5109212").PN.	USPAT	2003/01/18 14:23
11	194	switch.ab. and (gate adj driver.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:23
12	1851	switch.ab. and (power.ab. adj transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:24
13	3	(switch.ab. and (power.ab. adj transistor)) and (switch.ab. and (gate adj driver.ab.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:25
14	1329	(switch.ab. and (power.ab. adj transistor)) and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:25
15	558	((switch.ab. and (power.ab. adj transistor)) and control) and second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:26

16	87	(((switch.ab. and (power.ab. adj transistor)) and control) and second) and external	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:26
17	76	((((switch.ab. and (power.ab. adj transistor)) and control) and second) and external) not us.cc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:33
18	29	("3597638" | "4000412" | "4216388" | "4274014" | "4429270" | "4527102" | "4572970" | "4658190" | "4746871" | "4806880" | "4823029" | "4879522" | "4896297" | "4906056" | "4948995" | "4980576" | "5157351" | "5191269" | "5204562" | "5237222" | "5258662" | "5267201" | "5281862" | "5289051" | "5306965" | "5311150" | "5365118" | "5376832" | "5434533").PN.	USPAT	2003/01/18 14:28
19	530	(switch.ab. and (power.ab. adj transistor)) and load.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:33
20	271	((switch.ab. and (power.ab. adj transistor)) and load.ab.) and diode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:33
21	225	(((switch.ab. and (power.ab. adj transistor)) and load.ab.) and diode) not us.cc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:37
22	76253	327/$3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:37
23	8051	327/$3.ccls. and switch.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:37
24	72	(327/$3.ccls. and switch.ab.) and (switch.ab. and (power.ab. adj transistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:37
25	71	((327/$3.ccls. and switch.ab.) and (switch.ab. and (power.ab. adj transistor))) not us.cc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 14:38
26	6	("4853563" | "4859927" | "4877982" | "5426334" | "5883505" | "6127746").PN.	USPAT	2003/01/18 14:38

Titles of Most Frequently Occurring Classifications of Patents Returned
From A Search of 10058306 on September 09, 2002

3 307/10.8   (1 OR, 2 XR)
       Class 307 : ELECTRICAL TRANSMISSION OR INTERCONNECTION
                    SYSTEMS
       307/9.1   VEHICLE MOUNTED SYSTEMS
       307/10.1   .Automobile
       307/10.8   ..Lighting circuits

3 307/116   (1 OR, 2 XR)
       Class 307 : ELECTRICAL TRANSMISSION OR INTERCONNECTION
                    SYSTEMS
       307/112   SWITCHING SYSTEMS
       307/116   .Condition responsive

3 335/128   (2 OR, 1 XR)
       Class 335 : ELECTRICITY: MAGNETICALLY OPERATED SWITCHES,
                    MAGNETS, AND ELECTROMAGNETS
       335/2   ELECTROMAGNETICALLY ACTUATED SWITCHES
       335/106   .Multiple contact type
       335/127   ..Simultaneously actuated
       335/128   ...By pivotal or rockable armature

2 137/884   (0 OR, 2 XR)
       Class 137 : FLUID HANDLING
       137/561R   SYSTEMS
       137/861   .With flow control means for branched passages

       137/884   ..Sectional block structure

2 310/71   (0 OR, 2 XR)
       Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
       310/10   DYNAMOELECTRIC
       310/40R   .Rotary
       310/66   ..With other elements
       310/68R   ...Electric circuit elements
       310/71   ....Connectors, terminals or lead-ins

2 335/202   (0 OR, 2 XR)
       Class 335 : ELECTRICITY: MAGNETICALLY OPERATED SWITCHES,
                    MAGNETS, AND ELECTROMAGNETS
       335/2   ELECTROMAGNETICALLY ACTUATED SWITCHES
       335/202   .With housing or support means

2 335/78   (1 OR, 1 XR)
       Class 335 : ELECTRICITY: MAGNETICALLY OPERATED SWITCHES,
                    MAGNETS, AND ELECTROMAGNETS
       335/2   ELECTROMAGNETICALLY ACTUATED SWITCHES
       335/78   .Polarity-responsive